

## WHAT IS CLAIMED IS:

- 1                   1.     A computer program product comprising a computer  
2 readable code stored on a computer readable medium that, when executed,  
3 causes the computer to:  
4                   wirelessly communicate a reference to a print device, the  
5 reference identifying a location at which a print content is located on a  
6 network, wherein the reference causes the print device to retrieve the print  
7 content from the network and to print the print content.
  
- 1                   2.     The computer program product of claim 1, wherein the  
2 network comprises the Internet, and wherein the print content comprises  
3 Internet content, and further wherein the reference comprises a content locator.
  
- 1                   3.     The computer program product of claim 2, wherein the  
2 content locator comprises a Universal Resource Locator.
  
- 1                   4.     The computer program product of claim 1 wherein the  
2 reference further comprises billing data.
  
- 1                   5.     The computer program product of claim 1, wherein the  
2 reference causes the print device to retrieve the print content from the network  
3 by causing the print device to supply the reference to a print service adapted to  
4 retrieve the print content from the network and further adapted to format the  
5 retrieved print content for printing.
  
- 1                   6.     The computer program product of claim 1, wherein the  
2 computer readable code further causes the computer to:  
3                   establish communication with the print device before wirelessly  
4 communicating the reference to the print device.

1                   7.     The computer program product of claim 1, wherein the  
2 computer readable code further causes the computer to:  
3                   download the reference from the network; and,  
4                   convert the reference to a format that is compatible with a  
5 communication protocol used by the print device, wherein the computer  
6 readable code causes the computer to cause the reference to be downloaded and  
7 converted before the computer wirelessly communicates the reference to the  
8 print device.

1                   8.     The computer program product of claim 7, wherein the  
2 computer readable code further causes the computer to download the reference  
3 from the network in response to a user input indicating that a hyperlink  
4 associated with the reference has been selected.

1                   9.     The computer program product of claim 1, wherein the  
2 computer readable code further causes the computer to:  
3                   wirelessly communicate a security access code to the print  
4 device.

1                   10.    The computer program product of claim 9, wherein the  
2 security access code enables usage of the print device.

1                   11.    The computer program product of claim 9, wherein the  
2 security access code enables access to the print content.

1                   12.    The computer program product of claim 9, wherein the  
2 computer readable code further causes the computer to wirelessly communicate  
3 the security access code in response to a security challenge received from the  
4 print device.

1           13.    The computer program product of claim 1, wherein the  
2 computer readable code further causes the computer to:  
3           wirelessly communicate a discovery signal to the print device.

1           14.    The computer program product of claim 13, wherein the  
2 computer readable code further causes the computer to:  
3           receive a responsive signal transmitted by the print device  
4 wherein the responsive signal identifies the print device.

1           15.    The computer program product of claim 14, wherein the  
2 print device has one or more print capabilities and wherein the responsive  
3 signal further identifies one or more of the print capabilities of the print device.

1           16.    The computer program product of claim 14, wherein the  
2 responsive signal further identifies a physical location at which the print device  
3 is located.

1           17.    The computer program product of claim 1, wherein the  
2 computer readable code further causes the computer to add information to the  
3 reference before wirelessly communicating the reference to the print device.

1           18.    The computer program product of claim 17 wherein the  
2 information added to the reference comprises a locator, the locator identifying a  
3 location of a print service.

1           19.    The computer program product of claim 17 wherein the  
2 information added to the reference comprises a security access code.

1           20.    The computer program product of claim 17 wherein the

2 information added to the reference comprises billing information.

1 21. The computer program product of claim 17 wherein the  
2 information added to the reference comprises print format data, the print format  
3 data instructing the print device to print the reference beginning on a new sheet.

1 22. The computer program product of claim 1 wherein the  
2 computer readable code further causes the computer to:  
3 communicate a request for status information to the print device;  
4 and,  
5 receive status information from the print device.

1 23. A computer program product comprising a computer  
2 readable code stored on a computer readable medium that, when executed,  
3 causes the computer to:  
4 wirelessly communicate a reference to a print service, the  
5 reference identifying a location at which a print content is located on a  
6 network, wherein the reference causes the print service to retrieve the print  
7 content.

1 24. The computer program product of claim 23, wherein the  
2 reference comprises data identifying a print device and wherein the reference  
3 further causes the print service to transmit the retrieved print content to the  
4 print device.

1 25. The computer program product of claim 24, wherein the  
2 reference further causes the print service to convert the retrieved print content  
3 to a print ready format and wherein the reference further causes the print  
4 service to transmit the converted print content to a print device.

1           26.    A portable wireless device comprising:  
2                a communication interface adapted to enable wireless  
3   communication between the portable wireless device and a print device; and,  
4                a processor coupled to the communication interface, the  
5   processor being adapted to cause the communication interface to wirelessly  
6   communicate a reference to the print device, wherein the reference identifies  
7   the location of a print content on a network, and wherein the reference causes  
8   the print device to use the reference to retrieve the print content from the  
9   network and further causes the print device to print the print content.

1           27.    The portable wireless device of claim 26, wherein the  
2   communication interface is adapted to communicate using a Bluetooth  
3   communication protocol.

1           28.    The portable wireless device of claim 226, wherein the  
2   communication interface comprises a first communication interface, and  
3   wherein the portable wireless device further comprises:  
4                a second communication interface coupled to the processor, the  
5   second communication interface being adapted to enable communication  
6   between the processor and the network.

1           29.    The portable wireless device of claim 28, wherein the  
2   second communication interface is adapted to communicate using a protocol  
3   associated with cellular telephony.

1           30.    The portable wireless device of claim 28, wherein the  
2   processor is further adapted to download the reference from the network via the  
3   second communication interface.

1           31.    The portable wireless device of claim 26 wherein the  
2   processor is further adapted to discover the location of the print device.

1           32.    The portable wireless device of claim 26, wherein the  
2   processor is further adapted to cause the communication interface to  
3   communicate a security access code to the print device.

1           33.    The portable wireless device of claim 32, wherein the  
2   security access code enables usage of the print device.

1           34.    The portable wireless device of claim 32, wherein the  
2   security access code enables access to the print content.

1           35.    The portable wireless device of claim 26 further  
2   comprising a memory device coupled to the processor, the memory device  
3   being adapted to store the reference, wherein the processor is further adapted to  
4   obtain the reference from the memory device.

1           36.    The portable wireless device of claim 26 further  
2   comprising a memory device coupled to the processor, the memory device  
3   being adapted to store information identifying the print device, wherein the  
4   processor is adapted to use the information identifying the print device to cause  
5   the communication interface to wirelessly communicate the reference to the  
6   print device.

1           37.    A portable wireless device comprising:  
2           a first communication interface adapted to enable communication  
3   between the portable wireless device and a print service;  
4           a second communication interface adapted to enable wireless

5 communication between the portable wireless device and a print device; and,  
6 a processor coupled to the first communication interface, the  
7 processor being adapted to cause the first communication interface to  
8 communicate a reference that identifies the location of a print content to the  
9 print service, wherein communicating the reference to the print service causes  
10 the print service to retrieve the print content from a network and further causes  
11 the print service to transmit the print content to the portable wireless device.

1 38. The portable wireless device of claim 37, wherein  
2 communicating the reference to the print service further causes the print service  
3 to format the print content for printing before transmitting the print content to  
4 the portable wireless device.

1 39. The portable wireless device of claim 38, wherein the  
2 processor is further coupled to the second communication interface and  
3 wherein the processor is further adapted to cause the second communication  
4 interface to transmit the print content to the print device for printing.